



## **Prestone® Cooling System Repair**

Date Prepared: 01/27/2023

#### **SAFETY DATA SHEET**

#### 1. Product and Company Identification

SDS ID: SDS919

Prestone® Cooling System Repair PRODUCT NAME: AS145R-6, 73115-6, 73115-6/C PRODUCT NUMBER:

FORMULA NUMBER: 2803-102

MANUFACTURER: CANADIAN OFFICE: MEXICO OFFICE:

ASG Operations Mexico S. de R.L. de C.V. **Prestone Products Corporation** Prestone Canada

69 Eagle Rd. 101 MacIntosh Blvd. Carretera Mexico Cuautitlan, Kilometro 31.5, Nave

Danbury, CT 06810 Concord, ON L4K 4L5 Industrial 5,

Loma Bonita, Cuautitlan, Mexico, 54800

#### MEDICAL EMERGENCIES AND ALL OTHER INFORMATION PHONE NUMBER:

(888)269-0750 (in the US and Canada)

01-800-715-4135 (in Mexico)

TRANSPORTATION EMERGENCY PHONE NUMBER (Chemical Spills and Transport Accidents only):

CHEMTREC 1-800-424-9300 (in the US and Canada) +1 703 741-5970 (outside the US and Canada)

PRODUCT USE: Cooling system additive - consumer product

RESTRICTIONS ON USE: None identified

#### 2. Hazards Identification

#### **GHS/HAZCOM 2012 Classification:**

Health	Physical	
Not Hazardous	Not Hazardous	

Label Elements: None

#### 3. Composition/Information on Ingredients

This product is not hazardous as defined in the OSHA Hazard Communication Standard, 29CFR 1910.1200.

#### The exact concentrations are a trade secret.

#### 4. First Aid Measures

INHALATION: If symptoms of exposure occur, remove to fresh air. If irritation persists, seek medical attention.

SKIN CONTACT: Remove contaminated clothing and wash skin with soap and water. Seek medical attention if irritation develops.

EYE CONTACT: Flush with water, holding open eyelids, for several minutes. Seek medical attention if irritation persists.

INGESTION: If large amounts are swallowed, call local poison control center or go to an emergency department. Never give anything by mouth to an unconscious or drowsy person.

MOST IMPORTANT SYMPTOMS: Direct eye contact may cause mild discomfort. Prolonged skin contact may cause mild irritation. Swallowing large amounts may cause nausea, vomiting or diarrhea.





### **Prestone® Cooling System Repair**

**Date Prepared: 01/27/2023** 

INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT, IF NEEDED: None known.

NOTES TO PHYSICIAN: Treatment of overexposure should be directed at the control of symptoms and the clinical conditions.

#### 5. Firefighting Measures

SUITABLE EXTINGUISHING MEDIA: This product is not combustible. Use any media that is appropriate for the surrounding fire.

SPECIFIC HAZARDS ARISING FROM THE CHEMICAL: Thermal decomposition may produce oxides of nitrogen.

SPECIAL FIRE FIGHTING PROCEDURES: Firefighters should wear positive pressure self-contained breathing apparatus and full protective clothing for fires in areas where chemicals are used or stored.

#### 6: Accidental Release Measures

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES: Wear appropriate protective clothing and equipment (See Section 8).

METHODS AND MATERIALS FOR CONTAINMENT/CLEANUP: Collect with absorbent material and place in appropriate, labeled container for disposal or, if permitted flush spill area with water.

#### 7. Handling and Storage

#### PRECAUTIONS FOR SAFE HANDLING:

Avoid eye, and prolonged or repeated skin contact.

Do not reuse empty containers unless properly cleaned.

#### CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES:

Store in a cool, dry area.

#### 8. Exposure Controls / Personal Protection

**EXPOSURE GUIDELINES: None Established** 

VENTILATION: General ventilation is adequate for normal use.

PERSONAL PROTECTIVE EQUIPMENT

RESPIRATORY PROTECTION: None needed under normal use conditions.

GLOVES: None normally needed. For prolonged contact rubber or neoprene gloves can be worn.

EYE PROTECTION: Safety glasses or goggles recommended if splashing is possible.

OTHER PROTECTIVE EQUIPMENT/CLOTHING: Appropriate protective clothing as needed to minimize prolonged skin contact.



# Prestone® Cooling System Repair Date Prepared: 01/27/2023

9. Physical and Chemical Properti
-----------------------------------

APPEARANCE:	Yellow Liquid	ODOR:	Typical
ODOR THRESHOLD:	Not determined	pH:	11.0
MELTING/FREEZING	32°F (0°C)	BOILING POINT/RANGE:	212°F (100°C)
POINT:			
FLASH POINT:	>215°F (>101.7°C) Setaflash	EVAPORATION RATE:	Not determined
	CC		
FLAMMABILITY (SOLID,	Non-Flammable	FLAMMABILITY LIMITS:	LEL: Not applicable
GAS)			UEL: Not applicable
VAPOR PRESSURE:	Not determined	VAPOR DENSITY:	Not determined
RELATIVE DENSITY:	1.0087	SOLUBILITIES	Water: 100%
PARTITION COEFFICIENT	Not determined	AUTOIGNITION	Not applicable
(n-octanol/water)		TEMPERATURE:	
DECOMPOSITION	Not determined	VISCOSITY (Cst @ 100°C):	Not determined
TEMPERATURE:		, , ,	

#### 10. Stability and Reactivity

REACTIVITY: Normally unreactive

CHEMICAL STABILITY: Stable

POSSIBILITY OF HAZARDOUS REACTIONS: None known

CONDITIONS TO AVOID: None known

INCOMPATIBLE MATERIALS: Chemicals that react with water and oxidizing agents.

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon monoxide and carbon dioxide.

#### 11. Toxicological Information

#### **POTENTIAL HEALTH EFFECTS:**

#### **ACUTE HAZARDS:**

INHALATION: No adverse effects expected under normal use conditions. High concentrations of mists may cause mild upper respiratory tract irritation with coughing and sneezing.

SKIN CONTACT: Prolonged skin contact may cause mild irritation with redness.

EYE CONTACT: Direct contact may cause mild irritation with redness and tearing.

INGESTION: Swallowing large amounts may cause nausea, vomiting or diarrhea.

CHRONIC HAZARDS: None currently known.

CARCINOGENICITY LISTING: None of the ingredients are listed as a carcinogen or potential carcinogen by IARC, NTP, ACGIH, or OSHA.

#### **ACUTE TOXICITY VALUES:**



Prestone® Cooling System Repair
Date Prepared: 01/27/2023

None of the components are acutely toxic.

#### 12. Ecological Information

ECOTOXICITY: No ecotoxicity data is available at this time.

PERSISTENCE AND DEGRADABILITY: No data is available at this time.

BIOACCUMULATIVE POTENTIAL: No data is available at this time.

MOBILITY IN SOIL: No data is available at this time.

OTHER ADVERSE EFFECTS: None known

This product is not expected to be hazardous to the environment.

#### 13. Disposal Considerations

Dispose of product in accordance with all local, state/provincial and federal regulations.

#### 14. Transport Information

U.S. DOT HAZARD CLASSIFICATION: Not Regulated

DOT MARINE POLLUTANTS: This product does not contain Marine Pollutants as defined in 49 CFR 171.8.

IMDG CODE SHIPPING CLASSIFICATION: Not Regulated

CANADIAN TDG CLASSIFICATION: Not Regulated

#### 15. Regulatory Information

EPA SARA 311/312 HAZARD CLASSIFICATION: Refer to Section 2 for OSHA Hazard Classification

EPA SARA 313: This Product Contains the Following Chemicals Subject to Annual Release Reporting Requirements Under SARA Title Ill, Section 313 (40 CFR 372): None

PROTECTION OF STRATOSPHERIC OZONE: This product is not known to contain or to have been manufactured with ozone depleting substances as defined in 40 CFR Part 82, Appendix A to Subpart A.

CERCLA SECTION 103: This product is not subject to CERCLA reporting requirements; however, many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations.

CALIFORNIA PROPOSITION 65: This product does not contain substances known to the State of California to cause cancer and/or reproductive toxicity (birth defects).

EPA TSCA INVENTORY: All of the components of this material are listed on the Toxic Substances Control Act (TSCA) Chemical Substances Inventory.

CANADIAN ENVIRONMENTAL PROTECTION ACT: All of the ingredients are listed on the Canadian Domestic Substances List.





## Prestone® Cooling System Repair

**Date Prepared: 01/27/2023** 

#### 16. Other Information

NFPA RATING (NFPA 704) - FIRE: 0 HEALTH: 1 INSTABILITY: 0

REVISION SUMMARY: Sections: 9, 11. and 15.

SDS Date of Preparation/Revision: January 27, 2023

This SDS is directed to professional users and bulk handlers of the product. Consumer products are labeled in accordance with Federal Hazardous Substances Act regulations.

While Prestone Products Corporation believes that the data contained herein are factual and the opinions expressed are those of qualified experts regarding the results of the tests conducted, the data are not to be taken as a warranty or representation for which Prestone Products Corporation assumes legal responsibility. They are offered solely for your consideration, investigation and verification. Any use of these data and information must be determined by the user to be in accordance with applicable federal, state and local laws and regulations.