



SAFETY DATA SHEET

1. Product and Company Identification

SDS ID: SDS910
PRODUCT NAME: Prestone® Synthetic Brake Parts Lubricant
PRODUCT NUMBER: AS425-12
FORMULA NUMBER: 2913-103

MANUFACTURER: Prestone Products Corporation
69 Eagle Rd.
Danbury, CT 06810

CANADIAN OFFICE: Prestone Canada
33 MacIntosh Blvd.
Concord, ON L4K 4L5

MEXICO OFFICE: ASG Operations Mexico S. de R.L. de C.V.
Carretera Mexico Cuautitlan, Kilometro 31.5, Nave Industrial 5,
Loma Bonita, Cuautitlan, Mexico, 54800

MEDICAL EMERGENCIES AND ALL OTHER INFORMATION PHONE NUMBER:

(888)269-0750 (in the US and Canada)

01-800-715-4135 (in Mexico)

TRANSPORTATION EMERGENCY PHONE NUMBER (Chemical Spills and Transport Accidents only):

CHEMTREC 1-800-424-9300 (in the US and Canada) +1 703 741-5970 (outside the US and Canada)

PRODUCT USE: Lubricating grease.

RESTRICTIONS ON USE: None identified

2. Hazards Identification

GHS/HAZCOM 2012 Classification:

Health	Environmental	Physical
Not Hazardous	None	Not Hazardous

Label Elements: None

3. Composition/Information on Ingredients

Component	CAS No.	Percent w/w
DBC Grease	Proprietary Mixture	100

The exact concentrations are a trade secret.

4. First Aid Measures

INHALATION: If symptoms of exposure develop, remove to fresh air. If breathing becomes difficult, administer oxygen. Seek medical attention.

SKIN CONTACT: Remove contaminated clothing. Wash all affected and exposed areas with soap and water. If skin irritation or redness persists, seek medical attention.

EYE CONTACT: Exposed eyes should be flushed with copious amounts of water for several minutes. If irritation, pain, swelling or tearing persist, seek medical attention.

INGESTION: Rinse mouth with water. Do not induce vomiting unless directed by a doctor or physician. Never give anything by mouth to a person who is unconscious or drowsy. Get medical attention if you feel unwell.



MOST IMPORTANT SYMPTOMS: May cause mild eye, skin, and respiratory irritation. Swallowing may cause nausea, vomiting or diarrhea.

INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT, IF NEEDED: None required.

NOTES TO PHYSICIAN: There is no specific antidote. Treatment of overexposure should be directed at the control of symptoms and clinical conditions.

5. Firefighting Measures

SUITABLE EXTINGUISHING MEDIA: Use water fog, carbon dioxide, foam, or dry chemical. Cool fire exposed containers with water. Do not use a direct stream of water. Product will float and be reignited on surface of water.

SPECIFIC HAZARDS ARISING FROM THE CHEMICAL: Not classified as flammable or combustible but will burn if heated above the flash point. Thermal decomposition may produce carbon oxides, metal oxides, and halogenated compounds.

SPECIAL FIRE FIGHTING PROCEDURES: Firefighters should wear positive pressure self-contained breathing apparatus and full protective clothing for fires in areas where chemicals are used or stored.

6: Accidental Release Measures

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES: Wear appropriate protective clothing and equipment (See Section 8). Ventilate the area if spilled in a confined space or in a poorly ventilated area. Prevent from entering into sewer and waterways.

METHODS AND MATERIALS FOR CONTAINMENT/CLEANUP: Collect material and place into an appropriated container for dispose.

7. Handling and Storage

PRECAUTIONS FOR SAFE HANDLING: Avoid prolonged contact with skin and clothing. Avoid breathing vapors. Use with adequate ventilation. Wash exposed skin with soap and water after use. Keep away from open flames. Use in accordance with good industrial hygiene practices.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES: Store in a cool, dry area away from incompatible materials.

NFPA CLASSIFICATION: Not determined.

8. Exposure Controls / Personal Protection

EXPOSURE LIMITS

CHEMICAL	EXPOSURE LIMIT
DBC Grease	None established

APPROPRIATE ENGINEERING CONTROLS: General ventilation should be adequate for all normal use. For operations where exposures may be excessive, forced ventilation such as local exhaust may be needed to maintain exposures below excessive concentrations.

PERSONAL PROTECTIVE EQUIPMENT

RESPIRATORY PROTECTION: For operations where exposures are excessive a NIOSH approved respirator or supplied air respirator is recommended. Equipment selection depends on contaminant type and concentration. Select and use in accordance with 29 CFR 1910.134 and good industrial hygiene practice. For firefighting, use self-contained breathing apparatus.

GLOVES: Impervious gloves such as neoprene or nitrile are recommended for operations which may result in prolonged or repeated skin contact.

EYE PROTECTION: Safety glasses recommended to avoid eye contact.

OTHER PROTECTIVE EQUIPMENT/CLOTHING: Appropriate protective clothing as needed to minimize skin contact. Contaminated clothing should be laundered before re-use.

9. Physical and Chemical Properties

APPEARANCE:	Purple semi-solid.	ODOR:	Mild
ODOR THRESHOLD:	Not determined.	pH:	Not applicable
MELTING/FREEZING POINT:	Not determined	BOILING POINT/RANGE:	Not applicable
FLASH POINT:	500°F (260°C) COC	EVAPORATION RATE: (Butyl Acetate = 1)	Not determined
FLAMMABILITY (SOLID, GAS)	Not applicable	FLAMMABILITY LIMITS:	Not determined
VAPOR PRESSURE:	Not determined	VAPOR DENSITY: (Air=1)	Not determined
RELATIVE DENSITY:	1.03	SOLUBILITIES	Insoluble
PARTITION COEFFICIENT (n-octanol/water)	Not applicable	AUTOIGNITION TEMPERATURE:	Not determined
DECOMPOSITION TEMPERATURE:	Not determined	VISCOSITY:	Not determined

10. Stability and Reactivity

REACTIVITY: Normally unreactive

CHEMICAL STABILITY: Stable

POSSIBILITY OF HAZARDOUS REACTIONS: None known.

CONDITIONS TO AVOID: Keep away from excessive heat and open flames.

INCOMPATIBLE MATERIALS: Strong oxidizing agents.

HAZARDOUS DECOMPOSITION PRODUCTS: Combustion will produce carbon oxides, metal oxides, and halogenated compounds.

11. Toxicological Information

POTENTIAL HEALTH EFFECTS:

ACUTE HAZARDS:



INHALATION: Inhalation of product is not expected under normal product use. Inhalation of vapors may cause minor irritation to the upper respiratory tract.

SKIN CONTACT: None expected under normal product use. May cause mild skin irritation.

EYE CONTACT: May cause mild eye irritation.

INGESTION: Swallowing may cause nausea, vomiting or diarrhea.

CHRONIC HAZARDS: None expected.

CARCINOGENICITY LISTING: None of the components is listed as a carcinogen or potential carcinogen by IARC, NTP, ACGIH, or OSHA.

Acute Toxicity Values:

Product: Not acutely toxic.

12. Ecological Information

ECOTOXICITY:

Product: No data available.

PERSISTENCE AND DEGRADABILITY: No data available.

BIOACCUMULATIVE POTENTIAL: No data available.

MOBILITY IN SOIL: No data available.

OTHER ADVERSE EFFECTS: None known.

13. Disposal Considerations

Dispose of product in accordance with all local, state/provincial, and federal regulations.

14. Transport Information

U.S. DOT HAZARD CLASSIFICATION: Not Regulated

DOT MARINE POLLUTANTS: This product does not contain Marine Pollutants as defined in 49 CFR 171.8.

IMDG CODE SHIPPING CLASSIFICATION: Not Regulated

CANADIAN TDG CLASSIFICATION: Not Regulated

15. Regulatory Information

CERCLA SECTION 103: This product is not subject to CERCLA reporting requirements, however, oil spills are reported to the National Response Center under the Clean Water Act and many states have more stringent release reporting requirements. Report spills required under federal, state, and local regulations.

EPA SARA 311/312 HAZARD CLASSIFICATION: Classified under OSHA Hazcom 2012 GHS classification as per Section 2 of this SDS.



EPA SARA 313: This Product Contains the Following Chemicals Subject to Annual Release Reporting Requirements Under SARA Title III, Section 313 (40 CFR 372): None

PROTECTION OF STRATOSPHERIC OZONE: This product is not known to contain or to have been manufactured with ozone depleting substances as defined in 40 CFR Part 82, Appendix A to Subpart A.

CALIFORNIA PROPOSITION 65:

⚠️ WARNING: This product can expose you to chemicals including Ethylene Glycol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

EPA TSCA INVENTORY: All of the components of this material are listed on the Toxic Substances Control Act (TSCA) Chemical Substances Inventory.

CANADIAN ENVIRONMENTAL PROTECTION ACT: All of the ingredients are listed on the Canadian Domestic Substances List.

NEW ZEALAND: All of the ingredients of this product are listed on or exempt from the New Zealand Inventory of Chemicals (NZIoC).

KOREA: All of the ingredients of this product are listed on the Korean Existing Chemical List (KECL).

CHINA: All of the ingredients of this product are listed on the Chinese Inventory of Existing Chemical Substances (IECSC).

TAIWAN: All the components of this product are listed on the Taiwan inventory (TCSI).

16. Other Information

NFPA RATING (NFPA 704) - FIRE: 1 HEALTH: 1 REACTIVITY: 0

REVISION SUMMARY: Sections: 1, 3, 8, 9.

SDS Date of Preparation/Revision: September 2, 2022

This SDS is directed to professional users and bulk handlers of the product. Consumer products are labeled in accordance with Federal Hazardous Substances Act regulations.

While Prestone Products Corporation believes that the data contained herein are factual and the opinions expressed are those of qualified experts regarding the results of tests conducted, the data are not to be taken as a warranty or representation for which Prestone Products Corporation assumes legal responsibility. They are offered for your consideration, investigation and verification. Any use of these data and information must be determined by the user to be in accordance with applicable federal, state and local laws and regulations.